



- GENERAL ROOF NOTES**
1. SNOW GUARDS - TWO PER PANEL. SPACE AND DIMENSION FROM EDGE PER MANUFACTURER'S RECOMMENDATIONS.
 2. PAINT VTR TO MATCH ADJACENT ROOFING COLOR.
 3. DRAFTSTOPPING NOT REQUIRED PER NCSCC 2002 SECTION 716.3.
 4. SLOPE ALL MEMBRANE ROOFING TO DRAIN AT 1/4" PER FOOT.
- R.D. = ROOF DRAIN
O.R.D. = OVERFLOW ROOF DRAIN



125 N. Harrington St.
Raleigh, NC 27603
919/833-6413
919/836-1280 FAX
ClineDesignAssoc.com

Poythress Commercial Contractors
Arboretum Restaurant (shell Building)
Weston Parkway
Cary, North Carolina

Design Development
Not for Construction

PROJECT: 05029
DATE: 04.21.2005
REVISIONS: DATE

05-SP-001
APPROVED
TOWN OF CARY
DRC Date 06/30/05
Planning Date 06/30/05
Engineering TS Date 7-1-05

DRAWN BY: AG
CHECKED BY: JSL
ROOF PLAN

THIS DOCUMENT IS THE PROPERTY OF CLINE DESIGN ASSOCIATES, INC. AND IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION AND CONSENT OF CLINE DESIGN ASSOCIATES, INC.