

# BELLSOUTH

## Carolinas PCS, L.P.


### BASE TRANSCIVER STATION SITE

### 09-368-097-A

### TOWN OF CARY

### NORTH CAROLINA

POH JOB NO. 22597.02-097  
CARY PROJECT NO. 96-SP-013



VICINITY MAP  
09-368-097-A  
710 S.E. MAYNARD RD., CARY, NC 27511

#### INDEX OF DRAWINGS

C-1	GENERAL NOTES AND LEGEND	S-1	FOUNDATION PLAN, SECTION, AND NOTES
C-2	SITE SURVEY	S-2	SECTIONS AND DETAILS
C-3	SITE LAYOUT AND GRADING PLAN	S-3	DETAILS
C-4	TOWER ELEVATION	F-1	SERVICES ROUTING PLAN
C-4.1	CABLE MOUNTING DETAILS	F-2	ENLARGED SITE PLAN
		F-3	SITE GROUNDING PLAN
		F-4	DETAILS
		F-5	SERVICES PROTECTION ENCLOSURE
		F-6	PANELBOARD SCHEDULE

PREPARED BY:

**Prodonal Olsen lensley**  
ENGINEERS/ARCHITECTS/PLANNERS

2301 Rexwoods Drive  
Post Office Box 31388, Raleigh, NC 27622-1388  
Tel: 919/782-5511 Fax: 919/782-5905

COVER

EXISTING	LEGEND	NEW	GENERAL NOTES
	SPOT ELEVATION		<h4>GENERAL NOTES</h4> <ol style="list-style-type: none"><li>1. THE CONTRACTOR IS TO VERIFY ALL EXISTING TOPOGRAPHY AND HORIZONTAL GEOMETRY IS AS INDICATED ON THESE DRAWINGS. THE CONTRACTOR IS TO ESTABLISH THE EXISTENCE AND LOCATION OF ALL UNDERGROUND AND OVERHEAD UTILITIES AND SERVICES. IMMEDIATELY NOTIFY THE CONSTRUCTION MANAGER OF ANY DISCREPANCIES OR INTERFERENCES WHICH AFFECT THE WORK OF THIS CONTRACT.</li><li>2. ALL WORK SHALL BE IN ACCORDANCE WITH GOVERNING AUTHORITIES, CODES, AND REGULATIONS.</li><li>3. THE CONTRACTOR IS COMPLETELY RESPONSIBLE FOR CONTAINMENT OF SEDIMENT AND CONTROL OF EROSION ON SITE. ANY DAMAGE TO ADJACENT OR DOWNSTREAM PROPERTIES SHALL BE CORRECTED BY THE CONTRACTOR AT NO EXPENSE TO THE OWNER.</li><li>4. THE CONTRACTOR IS TO MAINTAIN ADEQUATE DRAINAGE AT ALL TIMES. DO NOT ALLOW WATER TO STAND OR POND. ANY DAMAGE TO STRUCTURES OR WORK ON THE SITE CAUSED BY INADEQUATE MAINTENANCE OF DRAINAGE PROVISIONS ARE TO BE THE RESPONSIBILITY OF THE CONTRACTOR AND ANY COST ASSOCIATED WITH REPAIRS FOR SUCH DAMAGE SHALL BE AT THE CONTRACTOR'S EXPENSE.</li><li>5. ALL WASTE MATERIAL SHALL BE PROPERLY DISPOSED OF OFF-SITE OR AS DIRECTED BY THE CONSTRUCTION MANAGER AND IN ACCORDANCE WITH JURISDICTIONAL AUTHORITIES.</li><li>6. COORDINATES AND BEARINGS SHOWN ARE BASED ON NORTH CAROLINA GRID (NAD 83). ELEVATIONS SHOWN ARE BASED ON NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).</li><li>7. SURVEY INFORMATION SHOWN COMPLIES WITH FAA ORDER 8260.19C ACCURACY TOLERANCES.</li><li>8. CONTRACTOR TO MAINTAIN 20' HORIZONTAL CLEARANCE FROM CENTERLINE OF EXISTING POWER LINES AS REQUESTED BY THE POWER COMPANY.</li><li>9. SEED AND MULCH ALL DISTURBED AREAS NOT COVERED BY OTHER MATERIALS IN ACCORDANCE WITH THE SPECIFICATIONS.</li><li>10. ALL CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH CURRENT TOWN OF CARY STANDARD SPECIFICATIONS AND DETAILS.</li><li>11. ANY PROPERTY DAMAGE CAUSED BY THE CONTRACTOR OR HIS OPERATIONS SHALL BE CORRECTED AND/OR RESTORED TO THE SATISFACTION OF THE PROPERTY OWNER(S) AND THE CONSTRUCTION MANAGER AT NO ADDITIONAL COST TO THE OWNER.</li></ol>
	CONTOUR LINE		
	TO BE DEMOLISHED		
	GRAVEL PAVEMENT		
	ASPHALT PAVEMENT		
	CONCRETE		
	FENCE		
	SILT FENCE		
	WOODS LINE		
	STORM DRAIN		
	CATCH BASIN		
	RIGHT OF WAY		
	PROPERTY LINE SURVEYED		
	PROPERTY LINE NOT SURVEYED		
	IRON PIN SET (PS) 5/8" REBAR		
	IRON PIN FOUND (PF)		
	SPIKE/NAIL SET		
	CONCRETE MON. FOUND		
	CONCRETE MON. SET		
	CENTERLINE		
	TELEPHONE PEDESTAL		
	OVERHEAD TELEPHONE		
	UNDERGROUND TELEPHONE		
	OVERHEAD POWER		
	UNDERGROUND POWER		
	UTILITY POLE		
	LIGHT POLE		
	WATER LINE		
	NATURAL GAS LINE		
	WATER VALVE		
	NATURAL GAS LINE		
	GAS VALVE		
	SANITARY SEWER		
	MANHOLE		

96-13-54  
96-SP-013  
**APPROVED**  
\* TC 3-26-96  
RFB

\* w/conditions associated with the special use request.

GENNOTES

C	3/13/96	ADDED NOTES 10 AND 11	NS	DR
B	2/19/96	ADDED COMMENTS	NS	DR
A	11/2/95	DESIGNED FOR PERMITTING, REGS. AND CDDP REVIEW	NS	DR
NO.	DATE	REVISION DESCRIPTION	BY	CHK

**BELLSOUTH**  
Carolinas PCS, L.P.  
09-368-097-A

GENERAL NOTES AND LEGEND

copyright © 19 88

**Prodonal Olsen lensley**  
2301 Rexwoods Drive  
Post Office Box 31388, Raleigh, NC 27622-1388  
Tel: 919/782-5511 Fax: 919/782-5905

SEAL NOT VALID UNLESS SIGNED AND DATED

PROJECT MANAGER & LADDER: P. CLIBBE  
LEAD DESIGN PROF.: D. BRIDEN  
DATE: OCTOBER 16, 1995  
PROJECT NUMBER: 22597-02  
DRAWING NUMBER: C-1

"original approved plan"