

CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION. ANY ERROR OR OMISSIONS SHALL BE REPORTED TO DESIGN TECH, INC. FOR CORRECTIONS OR JUSTIFICATION. ONCE CONSTRUCTION HAS BEGUN, CONTRACTOR WILL ASSUME ALL RESPONSIBILITY.



UNIT C / ELEV #4  
SCALE: 1/4"=1'-0"

SEE PAGE 6 FOR ADDITIONAL INFORMATION

UNIT A / ELEV #2  
SCALE: 1/4"=1'-0"

SEE PAGE 3 FOR ADDITIONAL INFORMATION

UNIT C / ELEV #4  
SCALE: 1/4"=1'-0"

SEE PAGE 6 FOR ADDITIONAL INFORMATION

(TYP FOR UNIT C)

**ROOF VENTILATING REQUIREMENTS**  
 $\frac{640}{150} = 4.26$  SQ. FT. REQ'D  
 BUILDER TO PROVIDE APPROPRIATE VENTILATING AS REQUIRED.

FRONT ELEVATION

SCALE: 1/4"=1'-0"

(TYP FOR UNIT A)

**ROOF VENTILATING REQUIREMENTS**  
 $\frac{546}{150} = 3.64$  SQ. FT. REQ'D  
 BUILDER TO PROVIDE APPROPRIATE VENTILATING AS REQUIRED.

**WALDO STREET TOWNES**  
 JEFF FIKE BUILDERS  
 TRIPLEX

01-6P-027  
**APPROVED**  
 05 7/16/01  
 TS 7-16-01