


STANDARD AIR TEST TABLE

DETAIL NO. 07000.16


REVISIONS

TABLE:

LENGTH OF LINE, FEET	PIPE DIAMETER, INCHES							
	4	6	8	10	12	14	16	18
250	0.04	0.08	0.12	0.16	0.20	0.24	0.28	0.32
300	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40
350	0.06	0.12	0.18	0.24	0.30	0.36	0.42	0.48
400	0.07	0.14	0.21	0.28	0.35	0.42	0.49	0.56
450	0.08	0.16	0.24	0.32	0.40	0.48	0.56	0.64
500	0.09	0.18	0.27	0.36	0.45	0.54	0.63	0.72
550	0.10	0.20	0.30	0.40	0.50	0.60	0.70	0.80
600	0.11	0.22	0.33	0.44	0.55	0.66	0.77	0.88
650	0.12	0.24	0.36	0.48	0.60	0.72	0.84	0.96
700	0.13	0.26	0.39	0.52	0.64	0.76	0.88	1.00
750	0.14	0.28	0.42	0.56	0.70	0.84	0.98	1.12
800	0.15	0.30	0.45	0.60	0.75	0.90	1.05	1.20
850	0.16	0.32	0.48	0.64	0.80	0.96	1.12	1.28
900	0.17	0.34	0.51	0.68	0.84	1.00	1.16	1.32
950	0.18	0.36	0.54	0.72	0.88	1.04	1.20	1.36
1000	0.19	0.38	0.57	0.76	0.92	1.08	1.24	1.40



CHAS. H. SELLS, INC.
 Consulting Engineers, Surveyors & Photogrammetrists
 15401 Reston
 Cary, NC 27513
 Tel: 919-678-0035
 Fax: 919-678-0206
 www.chhsells.com



Carolina Preserve by
 Del Webb at Amberly
 Phase 1
 Cary, NC
 GS Carolina
 3412 1/2 Hillsborough St.
 Raleigh, NC 27607

REVISIONS

PROJECT #: 04-4036 DATE: 4/18/05
 DRAWN BY: JE CHECKED BY: DS
 TITLE:
SANITARY SEWER DETAILS
 SHEET
C9.5.0

Approved by: *DRG* Date: *9/11/06*
 Planning: *me*
 Engineering: *me*