



NC HIGHWAY NO 55
(WITH PROPOSED PAVEMENT WIDENING—LOOKING NORTH)
1"=5'-0"

DETAIL	1
	D2




TYPICAL DRIVEWAY SECTION (OUTSIDE NCDOT R/W)

DETAIL	2
	D2




TYPICAL PAVEMENT JUNCTION

0251301



TEMPORARY GRAVEL CONSTRUCTION
ENTRANCE / EXIT
0257701R



CORNER/LINE


CHAIN LINK FENCE

0244400


ROADWAY GATE

PERSONNEL GATE

- NOTES: 1. PROVIDE LATCHING DEVICES TO HOLD GATES IN OPEN POSITION.
2. IF ROCK IS ENCOUNTERED WHEN SETTING POSTS, DRILL HOLES 4 INCHES LARGER IN DIAMETER THAN POSTS AND BACKFILL TO GRADE WITH CLASS "B" CONCRETE.




PLYWOOD INLET PROTECTION



STONE FILTER INLET PROTECTION

0227010





BOLLARD TYPE 1

0245100R

02-SP-047
APR 2000
36-8/3/00
8/7/00

DESIGNED	HTT		
DRAWN	H & S		
CHECKED	HTT		
PROJ ENGR.	HTT		
CONSTRUCTION	5/00	HTT	
REGULATORY APPROVAL	4/00	HTT	
ISSUED FOR	DATE	BY	APPROVED



HAZEN AND SAWYER
Environmental Engineers & Scientists
4011 WestChase Blvd, Raleigh, North Carolina 27607

TOWN OF CARY, NC
ENGINEERING DIVISION
2 MG CARPENTER ELEVATED
WATER STORAGE TANK

MISCELLANEOUS STANDARD DETAILS

THE SCALE BAR SHOWN BELOW MEASURES ONE INCH LONG ON THE ORIGINAL DRAWING.	DATE	APRIL 2000
	H & S JOB NUMBER	2825
	CONTRACT NUMBER	1
	DRAWING NUMBER	D2
	SHEET	14 OF 20