



PLUMBING FIXTURE SCHEDULE

- SK-1 SINK: BRIGGS, MODEL # 6602, VITREOUS CHINA, WALL HUNG 15" x 17", MOEN FAUCET # 8141 WITH WRIST BLADE HANDLES.
- SK-2 DOUBLE BOWL SINK: MOEN MODEL # 22114, STAINLESS STEEL, 3/4" HOLE AND 4" ON CENTER, MOEN FAUCET # 8799 WITH WRIST BLADE HANDLES.
- SK-3 SINGLE BOWL SINK: MOEN MODEL # 22119, STAINLESS STEEL, 2" HOLE AND 4" ON CENTER, MOEN FAUCET # 8138.

PLUMBING PUSH
1/4" = 1'-0"

NOTE: REPLACE EXISTING DOWNSPOUTS COVERED BY ADDITION W/ PVC PIPE, REPAIR PVC PIPE IN SLOTT FOR NEW ROOF DRAINS SEE A2

LEGEND (PLUMBING)

- EXIST. WASTE PIPING
- EXIST. VENT PIPING
- EXIST. HOT WATER
- EXIST. COLD WATER
- COLD WATER
- HOT WATER
- VENT PIPING
- PIPING TURNS UP
- PIPING TURNS DOWN
- CONNECT TO EXISTING
- ← NEW W/ SITE & DIRECTION OF FLOW

LEGENDS

- EXIST. WALL TO REMAIN
- WALL TO BE REMOVED
- NEW WD. STUD WALL
- NEW ITEMS TO BE INSTALLED

BY OTHERS

**CARY PEDIATRICS CENTER
1992 EXPANSION**

PLUMBING PUSH

REV.	BY	DATE	REMARKS



Scale: NOTED
Sheet: P1 OF 1
Date: 10-19-92
PROJECT NUMBER: 92142.00