


CARY TENNIS CENTER
Cary, North Carolina



MECHANICAL EXHAUST PIT
REFER TO ARCH. & MECH DWGS.
PROVIDE 12" CONC. FOOTING BENEATH
REINF. WITH #5 @ 12" o.c. EA. WAY,
3" CLR BOTTOM; EXTEND FTG. 6"
BEYOND EDGE OF CMU WALL TYP.

EXTENT OF COVERED PORCH
ABOVE - SEE SHEET S-2

DOT HATCH INDICATES
DEPRESSED SLAB

MECHANICAL EXHAUST PIT WALLS.
8" CMU FILLED SOLID w/ 3000 PSI
GROUT AND #5 VERT. & DOWELS @ 24" o.c.

FOUNDATION PLAN $\frac{1}{8}" = 1'-0"$

- NOTES:
1. FINISH BASEMENT FLOOR ELEVATION: -11'-4" (BELOW FINISH MAIN FLOOR).
 2. "(CJ)" DENOTES SLAB CONTROL JOINT. SEE 1/S-4.
 3. TOP OF PERIMETER WALL FOOTING 1'-4" BELOW T/SLAB ELEVATION, U.N.O.
 4. [No.] DENOTES SLAB ELEVATION IN REFERENCE TO F.F.E.
G.C. TO COORDINATE EXACT SIZE AND LOCATION WITH ARCHITECTS DRAWINGS.
 5. REFER TO ARCHITECT'S DRAWINGS FOR ALL WALL DIMENSIONS.
 6. -S- DENOTES SLOPED SLAB ON GRADE AT $\frac{1}{4}":12$, MIN.
TOWARDS DRAIN. MAINTAIN SAME SLAB THICKNESS.
 7. REFER TO ARCHITECT'S DRAWINGS AND SITE PLAN FOR ALL SITE
RETAINING WALL LOCATIONS AND DETAILS.

APPROVED
DWG 2/28/01

STEWART ENGINEERING
STRUCTURAL
TRANSPORTATION
CIVIL

PO Box 12054 Research Triangle Park, NC 27709
Tel. 919.360.8750 Fax 919.360.8752

©2000. All documents & calculations including computer files, drawings, and specifications prepared by Stewart Engineering, Inc. (SEI) are instruments of professional service intended for one-time use. They are subject to copyright & other property rights laws and shall remain the property of SEI. They are not to be copied, modified, or changed in any manner whatsoever nor assigned to a third party without prior written permission of Stewart Engineering, Inc.

Project 98018
Date NOV. 10, 2000
Revisions

Drawn By DWG
Checked By PEF
Content
FOUNDATION PLAN