








**RISER-BARREL SEDIMENT BASIN** SEE SHEET C5.0 FOR LOCATION



**CONCRETE BLOCK OR BRICK CATCH BASIN**

















**A.B.C. UNDER 2" CURB & GUTTER**



**MINIMUM CONCRETE BLOCKING (C.Y.)**

MANHOLE DIA. IN.	SIZE & QTY. OF BARS	MIN. CONCRETE (C.Y.)	MIN. CONCRETE (C.Y.)	MIN. CONCRETE (C.Y.)	MIN. CONCRETE (C.Y.)
4	1/2" 1/2"	1/2	1/2	1/2	1/2
6	1/2" 1/2"	1/2	1/2	1/2	1/2
8	1/2" 1/2"	1/2	1/2	1/2	1/2
10	1/2" 1/2"	1/2	1/2	1/2	1/2
12	1/2" 1/2"	1/2	1/2	1/2	1/2
14	1/2" 1/2"	1/2	1/2	1/2	1/2
16	1/2" 1/2"	1/2	1/2	1/2	1/2
18	1/2" 1/2"	1/2	1/2	1/2	1/2
20	1/2" 1/2"	1/2	1/2	1/2	1/2
24	1/2" 1/2"	1/2	1/2	1/2	1/2

**CONCRETE SHALL BE 3000 P.S.I. MIN. WITH 1% AIR ENTRAINMENT.**



**APPROVED**  
 T.E.R. 5/27/98  
 TM 5-20-98