



LINE	PIPE	SIZE	START STA.	END STA.	LENGTH	INVERT	OUTLET	PERCENT	REMARKS
LINE A	1	42"	321.00	322.00	10	321.00	322.00	10.0%	
	2	42"	322.00	327.00	55	322.00	327.00	9.3%	
	3	30"	327.00	332.00	5	327.00	332.00	10.0%	
	4	18"	332.00	341.00	9	332.00	341.00	10.0%	
LINE B	1	18"	332.70	334.00	1	332.70	334.00	10.0%	
	2	18"	334.00	336.00	2	334.00	336.00	6.0%	
	3	18"	336.00	338.00	2	336.00	338.00	6.0%	
LINE C	1	24"	336.50	339.00	2	336.50	339.00	7.5%	
	2	18"	339.00	340.00	1	339.00	340.00	3.0%	
	3	30"	340.00	342.50	2	340.00	342.50	7.3%	
LINE D	1	24"	342.20	344.40	2	342.20	344.40	6.4%	
	2	18"	344.40	346.00	1	344.40	346.00	4.6%	
	3	18"	346.00	347.00	1	346.00	347.00	2.9%	
LINE E	1	18"	329.20	330.70	1	329.20	330.70	4.5%	
	2	18"	330.70	331.50	1	330.70	331.50	2.4%	
	3	18"	331.50	332.00	1	331.50	332.00	1.5%	
LINE F	1	24"	314.00	315.50	1	314.00	315.50	6.4%	
	2	18"	315.50	316.87	1	315.50	316.87	4.2%	
	3	36"	316.87	319.00	2	316.87	319.00	6.6%	

DATE	DESCRIPTION
6-9-79	REVISED PER CLIENT'S PIPE CHART
	REVISIONS

DESIGNED: MLB
 DRAWN: ALB
 CHECKED: _____
 APPROVED: _____

LOWE ENGINEERS, INC.

PARK 'N FLY
 RALEIGH-DURHAM AIRPORT
 TOWN OF CARY, NORTH CAROLINA

**STORM AND SANITARY
 SEWER PROFILES**

PROJ. NO.: 8875
 DATE: MAY, 1990
 SCALE: H: 1"=30'
V: 1"=10'
 DWG. NO.: 6