





- CONSTRUCTION SEQUENCE** (2/14)
1. Obtain Grading Permit.
 2. Install all erosion control measures as shown.
 3. Obtain Certificate of Compliance through on-site inspection by Town Erosion Control Engineer.
 4. Proceed with grading.
 5. Clean sediment basins when full full.
 6. Seed and mulch denuded area within 30 days after finished grades are established.
 7. Maintain soil erosion control measures until permanent ground cover is established.
 8. Remove soil erosion control measures and stabilize these areas.
 9. Request final approval by Town Erosion Control Engineer.



SEEDING SCHEDULE

DATE	TYPE	PLANTING RATE
Aug 15 - Nov 1	Tall Fescue	300 lbs./acre
Nov 1 - May 1	Tall Fescue & Annual Ryegrass	300 lbs./acre
Mar 1 - Apr 15	Tall Fescue	300 lbs./acre
Apr 15 - Jun 30	Mulled Clover Bermudagrass	75 lbs./acre
Jul 1 - Aug 15	Tall Fescue and Annual Ryegrass	300 lbs./acre
	or Bermudagrass Hybrid	30 lbs./acre
Mar 1 - Jun 1	Bermuda Turfgrass (certified)	50 lbs./acre
Mar 1 - Apr 15	Add Tall Fescue	100 lbs./acre
Mar 1 - Jun 30	Add Annual Ryegrass	10 lbs./acre
Jun 1 - Sep 1	Bermudagrass	25 lbs./acre
	or Tall Fescue and Bermudagrass Hybrid	100 lbs./acre
	or Bermudagrass Hybrid	30 lbs./acre
Sep 1 - Nov 1	Bermuda Turfgrass (certified)	70 lbs./acre
Nov 1 - Mar 1	Add Tall Fescue	100 lbs./acre
	Add Annual Ryegrass	25 lbs./acre

- STEPS OF EROSION CONTROL MEASURES**
1. Should work on site be performed by more than one prime contractor, each prime shall be responsible for the following tasks associated with his phase of the work.
 1. Upon clearing entrance road, contractor shall immediately install sediment trap per detail.
 2. Upon rough grading of slopes, contractor shall install top berm per detail.
 3. Upon installation of fill work, contractor shall install silt fencing per detail.
 4. Upon completion of rough grading and within 30 days of site grading initiation, contractor shall install temporary seeding and mulch to disturbed areas per specifications.
 5. Upon installation of permanent storm drainage system, contractor shall install sediment filter around all catch basins.
 6. Upon installation of storm drainage system, contractor shall permanently seed and mulch disturbed areas per job specifications.
- CAUTION:** It shall be contractor's job responsibility to maintain erosion control measures in place and to install additional measures as necessary.



Dewberry & Davis
 Engineers Architects Planners Surveyors
 Team Park Office Park 3922 Six Forks Road
 Raleigh, North Carolina 27609 ☎ 919-847-0418

TRACT R-10
PARKWAY P.U.D. CARY, N.C.

ROADWAY, STORM SEWER & EROSION CONTROL DETAILS

Scale AS NOTED
 Sheet **14** of 14
 Date **SEPT. 1980**
 File Number **86014 (3)**

Professional Engineer Seal: NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 15737, THOMAS ALSTON, LICENSED UNDER A CHARTERED FIRM, 10-10-80, 11/29/80 - FRANK III, 2/24/81.

DWN. CK'D. APP.