NOTES:

SHOP DRAWINGS ARE REQUIRED FOR ALL MATERIALS, CONNECTIONS, HARDWARE, LAYOUT, ETC.

MINIMUM REQUIREMENTS FOR FENCE COMPONENTS INCLUDE 2 1/2" SQ. X .075" WALL THICKNESS, 1-5/8" SQ. CHANNEL RAILS, & 1" SQ. X .065" WALL THICKNESS.

ALL FASTENERS SHALL BE STAINLESS STEEL.

FINISH SHALL BE A ELECTROSTATICALLY APPLIED BAKED ON FLEXIBLE ACRYLIC FINISH OR A 2-COAT POWDER FINISH.



PROVIDE RAILING AT TOP OF ALL RETAINING WALLS EXCEEDING 5' IN HEIGHT

RETAINING WALL RAILING



NOTES:
1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWINGS.
3. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTEMPLATED, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER.
4. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.
5. CONTRACTOR'S NOTE: FOR PRODUCT AND PURCHASING INFORMATION VISIT www.PROJECTmarketsite.com REFERENCE NUMBER 016-002

SEGMENTAL RETAINING WALL

06-SP-033

APPROVED
TOWN OF CARY

Approved by	DRC	Date	7.24.06
Planning	RAH	Date	8.9.06
Engineering	TS	Date	8.9.06

©2006 JDAVIS ARCHITECTS EXPRESSLY RESERVES ITS COMMON LAW COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE PLANS. THESE PLANS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED IN ANY FORM OR MANNER WHATSOEVER, NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING THE EXPRESSED WRITTEN PERMISSION AND CONSENT OF JDAVIS ARCHITECTS, PLLC

Owner: White Oak Properties, Inc.

Waterford at Cary Park - Phase 2

Lot MR-2B

Cary, North Carolina

NORTH CAROLINA REGISTERED LANDSCAPE ARCHITECT 0839 MARTIN A. LINN

6-29-06

		DATE
PROJECT:	06010	6-29-06
REVISIONS:		
DRAWN BY:	MAL	
CHECKED BY:		
CONTENT:	SITE DETAILS	

L2.2

JDAVISARCHITECTS
510 Glenwood Ave, Suite 201 | Raleigh, NC 27603 | tel 919.835.1500 | fax 919.835.1510