



- NOTE: ALL MORTAR SHALL BE TYPE 'S' W/ CONCAVE JOINTS
- KEY**
- ① brick column cap
 - ② 16" brick column
 - ③ Rowlock base
 - ④ #4 rebar (3) cont.
 - ⑤ Dur-a-wall ties - 16" O.C./#3 rebar at columns
 - ⑥ Soldier course
 - ⑦ 1" overhang typ.
 - ⑧ Stretcher course
 - ⑨ Rowlock cap
 - ⑩ Expansion joint - 30' O.C. max. w/ elastomeric caulk 3/4" wide and dowels to allow lateral slippage
 - ⑪ # 4 rebar (4) vertical in columns
 - ⑫ Grout solid
 - ⑬ Lateral ties - 16" O.C. vert. - #9 wire
 - ⑭ Concrete footing - 3000 psi @ 28 days
 - ⑮ Compacted (95%) subgrade
 - ⑯ 8"x 8"x 16" CMU - grout solid
 - ⑰ #4 rebar vertical - 4' o.c. typ.

REV. NO.	DESCRIPTIONS	DATE

DESIGNED	TCC
DRAWN	TCC
CHECKED	ADS
PROJ. ENG.	

MCKIM & CREED
 ENGINEERS • PLANNERS • SURVEYORS
 WILMINGTON, NORTH CAROLINA RALEIGH, NORTH CAROLINA
 SMITHFIELD, NORTH CAROLINA

WATERFORD FOREST APARTMENTS
 CARY, NC

Entrance Wall Details

DATE:	6 JAN 1995
M&C PROJ. #	00976-0004
DWG FILE #	549E4D01

SCALE:	HORIZONTAL: 1"=1'	VERTICAL: 1"=1'
SHEET NO.	27	
OF:	27	

CONSTRUCTION DRAWINGS