

NOW OR FORMERLY  
**CHARLES M. WEILL**  
ZONING: PEC  
USE: RESIDENTIAL

NOW OR FORMERLY  
**NORTHERN TELECOM DISTRIBUTION CENTER**  
ZONING: PEC  
USE: WAREHOUSE

NOW OR FORMERLY  
**PITCAIRN GROUP LIMITED PARTNERSHIP**  
D.B. 4831, PG. 301  
ZONING: PEC  
USE: VACANT

**INNOVATION AVENUE 70' PUBLIC R/W**  
(PRIVATE DRIVE)

LOADING DOCK ELEVATION = 35100'

**WOODLAKE CENTER LOT 5**  
FFE = 355.00'

**INNOVATION AVENUE 60' PUBLIC R/W**  
(PRIVATE DRIVE)

NOW OR FORMERLY  
**WOODLAKE CENTER LOT 2**  
ZONING: PEC  
USE: WAREHOUSE

NOW OR FORMERLY  
**PITCAIRN GROUP LIMITED PARTNERSHIP**  
D.B. 4831, PG. 301  
ZONING: PEC  
USE: VACANT

**NORTHERN TELECOM PARKING LOT**  
ZONING: PEC

**INNOVATION AVENUE 70' PUBLIC R/W**  
(PRIVATE DRIVE)

**WOODLAKE CENTER LOT 4**  
ZONING: PEC  
USE: WAREHOUSE

**DSAtlantic**  
801 JONES FRANKLIN ROAD • SUITE 300 • RALEIGH, NC 27608  
919-851-0808 • FAX 919-851-7024  
CHARLOTTE, NC • COLUMBIA, SC • MACON, GA • NASHVILLE, TN  
RALEIGH, NC • RICHMOND, VA • WINSTON-SALEM, NC

© DSAtlantic Corporation, 1998 (All rights reserved).  
Permitted to reproduce these documents for use in connection with the project for which they were prepared. These documents have been prepared, checked, and approved by DSAtlantic. The user shall be responsible for any use of these documents for any other purpose. Any reproduction of these documents for any other purpose without the written consent of DSAtlantic, and for no other reason, shall be considered a violation of the copyright laws of the United States and shall be subject to appropriate legal action. All rights of design and invention are reserved by DSAtlantic.

**WOODLAKE CENTER LOT 5**  
**WEEKS REALTY, LP**  
**1800 PERIMETER PARK DRIVE, SUITE 200**  
**MORRISVILLE, NORTH CAROLINA**

**SITE LIGHTING PLAN**

ISSUE SEQUENCE	
NO.	DATE
1	1/28/99
	ISSUE FOR CONSTRUCTION

PROJECT NO.: LIC045.000  
DESIGNED BY: ARP  
DRAWN BY: ARP  
DATE: 1/28/99

**C4.2**  
OF 1213

CADD # G:\LIC\045\CIVL\710CBASE

**NOTES:**  
LIGHT POLES WHICH ARE LOCATED WITHIN THE 10 FOOT BUFFER SHALL BE NO GREATER THAN 2 FEET FROM THE PARKING LOT BACK OF CURB LINE.

CALCULATION SUMMARY-					
AREA NAME	DIMENSIONS	GRID NAME	AVE	MAX	MIN
woodlake5		parkinglot	<+> 0.6	3.1	0.0

LUMINAIRE SCHEDULE							
TYP	SYMBOL	DESCRIPTION	LAMP	LUMENS	MOUNTING/BALLAST	LLF	QTY
005		GE SB22_1/POLE (1) "002" SH_BOX22_1-4/POLE	(1) LU-200	22000	30 FT. MH. 22000 LUMEN HPS	0.72	14

**APPROVED**  
TEL 4-5-99  
TM 4-6-99

**APPROVED**  
TEL 1-28-99  
TM 1-28-99

